


clever – creative – sustainable – smart



Nestable and stack/nest containers

NESTABLE CONTAINERS



The art of reducing

Nestable containers

Nestable containers are stacked using either the lid or on pull-out bail arms. When empty, they can be nested, this allows a significant reduction in volume.

Nestable containers with hinged lid

The boxes can be stacked using the lid. When the lid is folded away, several empty boxes can be nested in one another. As a result, up to 75 % of the original volume can be saved.



Base dimension **400 x 300 mm**



NESCO without bail arms, without lid

Height 200 mm

Internal dimensions top / base			348 x 267 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4320-110	--	200 mm	65 mm	16 litres	0.82 kg

Height 300 mm

Internal dimensions top / base			348 x 267 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4330-110	--	300 mm	80 mm	24 litres	1.20 kg



NESCO with bail arms, without lid

Height 200 mm

Internal dimensions top / base			344 x 263 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4320-114	--	180 mm	65 mm	14 litres	1.00 kg

Height 300 mm

Internal dimensions top / base			344 x 263 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4330-114	--	278 mm	80 mm	22 litres	1.45 kg



NESCO without bail arms, with 2 half-lids

Height 215 mm

Internal dimensions top / base			339 x 267 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4320-116	--	182 mm	65 mm	14 litres	1.19 kg

Height 315 mm

Internal dimensions top / base			344 x 263 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4330-116	--	279 mm	80 mm	22 litres	1.57 kg



NESCO with bail arms and 2 half-lids

Height 215 mm

Internal dimensions top / base			346 x 263 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4320-112	--	182 mm	65 mm	14 litres	1.97 kg

Height 315 mm

Internal dimensions top / base			346 x 263 mm / 313 x 231 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-4330-112	--	279 mm	80 mm	22 litres	1.82 kg

NESTABLE CONTAINERS

Base dimension **600 x 400 mm**



Standard colour
pale blue

NESCO without bail arms, without lid

Height 200 mm (with heavy duty base 202 mm)

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6420-110	--	202 mm	65 mm	37 litres	1.50 kg
37-6420-210	17 mm	202 mm	65 mm	37 litres	2.00 kg

Height 220 mm

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6422-110	--	215 mm	65 mm	39 litres	1.52 kg

Height 300 mm (with heavy duty base 302 mm)

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6430-110	--	300 mm	80 mm	54 litres	1.96 kg
37-6430-210	17 mm	300 mm	80 mm	54 litres	2.40 kg

Height 325 mm

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6432-110	--	319 mm	80 mm	58 litres	1.96 kg

Height 400 mm (with heavy duty base 402 mm)

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6440-110	--	397 mm	106 mm	73 litres	2.45 kg
37-6440-300	15 mm	397 mm	106 mm	73 litres	2.94 kg

Height 425 mm

Internal dimensions top / base			549 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6442-110	--	423 mm	106 mm	78 litres	2.53 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colour
pale blue

NESCO with bail arms, without lid

Height 200 mm (with heavy duty base 202 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6420-114	--	202 mm	65 mm	37 litres	1.82 kg
37-6420-214	17 mm	202 mm	65 mm	37 litres	2.30 kg

Height 220 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6422-114	--	215 mm	65 mm	39 litres	1.52 kg

Height 300 mm (with heavy duty base 302 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6430-114	--	300 mm	80 mm	54 litres	1.96 kg
37-6430-214	17 mm	300 mm	80 mm	54 litres	2.80 kg

Height 325 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6432-114	--	319 mm	80 mm	58 litres	2.20 kg

Height 400 mm (with heavy duty base 402 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6440-114	--	397 mm	106 mm	73 litres	2.45 kg
37-6440-314	15 mm	397 mm	106 mm	73 litres	3.29 kg

Height 425 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6442-114	--	423 mm	106 mm	78 litres	2.55 kg

Stock items (SKU), for all other items please request the minimum order quantities.

NESTABLE CONTAINERS

Base dimension **600 x 400 mm**



Standard colour
pale blue

NESCO without bail arms, with 2 half-lids

Height 215 mm (with heavy duty base 217 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6420-116	--	202 mm	80 mm	37 litres	2.23 kg
37-6420-216	17 mm	202 mm	80 mm	37 litres	2.70 kg

Height 235 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6422-116	--	215 mm	80 mm	39 litres	2.40 kg

Height 315 mm (with heavy duty base 317 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6430-116	--	275 mm	95 mm	50 litres	2.70 kg
37-6430-216	17 mm	275 mm	95 mm	54 litres	3.10 kg

Height 340 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6432-116	--	319 mm	95 mm	58 litres	2.67 kg

Height 415 mm (with heavy duty base 417 mm)

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6440-116	--	397 mm	121 mm	73 litres	3.16 kg
37-6440-316	15 mm	397 mm	121 mm	73 litres	3.60 kg

Height 450 mm

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6442-116	--	402 mm	121 mm	78 litres	3.24 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colour
pale blue

NESCO with bail arms and 2 half-lids

Height **215 mm (with heavy duty base 217 mm)**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6420-112	--	202 mm	80 mm	37 litres	2.55 kg
37-6420-212	17 mm	202 mm	80 mm	37 litres	3.00 kg

Height **235 mm**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6422-112	--	215 mm	80 mm	39 litres	2.50 kg

Height **315 mm (with heavy duty base 317 mm)**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6430-112	--	275 mm	95 mm	54 litres	2.99 kg
37-6430-212	17 mm	275 mm	95 mm	54 litres	3.50 kg

Height **340 mm**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6432-112	--	319 mm	95 mm	58 litres	2.99 kg

Height **415 mm (with heavy duty base 417 mm)**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6440-112	--	397 mm	121 mm	73 litres	3.48 kg
37-6440-312	15 mm	397 mm	120 mm	70 litres	3.95 kg

Height **450 mm**

Internal dimensions top / base			541 x 368 mm / 513 x 331 mm		
Article code	Heavy duty base	Usable height	Nesting height	Volume	Weight
37-6442-112	--	423 mm	121 mm	78 litres	3.56 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Lids for NESCO



37-4301

3-924-0



Standard colours

37-6401 black
3-925-5 pale blue



Without guide for
tensioning strap

With guide for
tensioning strap



Base dimension 400 x 300 mm

Article code	Model
37-4301	half lid to hinge on the long side (hinge parts must be ordered separately)
3-924-0	slip lid

Base dimension 600 x 400 mm

Article code	Model
37-6401	half lid to hinge on the long side (hinge parts must be ordered separately)
3-925-5	slip lid
37-6409	hinged lid to mount on the long side (hinge parts must be ordered separately)

Hinge section for half-lid mounting

without guide for tensioning strap

Article code	Remark
37-6407	for containers 400 x 300 mm 4 hinge parts are required for containers 600 x 400 mm 6 hinge parts are required

Hinge section for half-lid mounting

without guide for tensioning strap

Article code	Remark
37-6408-1	for containers 400 x 300 mm 4 hinge parts are required for containers 600 x 400 mm 6 hinge parts are required

Snap locks

to fit only hinged lid 37-6409

Article code	Remark
89-4-866	2 snap locks per lid are required

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories for NESCO



Standard colour
black



Bail arms (per pair)

Article code	For base dimension	Model
37-4305	400 x 300 mm	without stacking cams
37-6405	600 x 400 mm	without stacking cams
37-6405-2	600 x 400 mm	with stacking cams

Label pockets

Article code	Internal dim.	Model	to fit NESCO
89-21-18	110 x 43 mm	border on 3 sides	400 x 300 mm
89-21-14	128 x 60 mm	border on 3 sides	37-6440
89-21-22	132 x 40 mm	border on 3 sides	37-6420 and 37-6430

Base dimension **600 x 400 mm**



Attached lid containers

Height 263 mm

Internal dimensions top / base		548 x 371 mm / 520 x 354 mm			
Article code	Usable height	Stacking height	Nesting height	Volume	Weight
43-6426-2	253 mm	251 mm	109 mm	47 litres	2.80 kg

Height 308 mm

Internal dimensions top / base		548 x 371 mm / 516 x 351 mm			
Article code	Usable height	Stacking height	Nesting height	Volume	Weight
43-6431-2	280 mm	295 mm	109 mm	56 litres	3.10 kg

Height 368 mm

Internal dimensions top / base		548 x 371 mm / 510 x 347 mm			
Article code	Usable height	Stacking height	Nesting height	Volume	Weight
43-6437-2	340 mm	355 mm	109 mm	67 litres	3.70 kg

Stock items (SKU), for all other items please request the minimum order quantities.

NESTABLE CONTAINERS

Base dimension **600 x 400 mm**



Attached lid container

Height **365 mm**

Internal dimensions top / base 550 x 365 mm / 525 x 340 mm

Article code	Usable height	Stacking height	Nesting height	Volume	Weight
101-6437-1D-0	338 mm	353 mm	125 mm	66 litres	3.00 kg

Suitable dolly



Multi stack/nest container with bail arms for 3 positions

Height **300 mm**

Internal dimensions top / base 570 x 375 mm / 540 x 345 mm

Nesting height 98 mm

Volume 60 litres

Weight 2.55 kg

Article code	Base	Sidewalls
45-6430-0	solid	solid, adhesive label area for label pocket on one short wall
45-6430-11	solid	perforated



Stack/nest container with bail arms

Height **366 mm**

Internal dimensions top / base 574 x 377 mm / 545 x 345 mm

Stacking height 360 mm

Volume 67 litres

Weight 2.75 kg

Article code	Base	Sidewalls
45-6436-0 R	solid	slotted, adhesive label area for label pocket on both short sides



Suitable dolly

Oeco-line

Article code with **R** =
made of UIC® recycled material

Order picking containers



External dimensions 400 x 300 x 86 mm

Internal dimensions top / base		364 x 264 mm / 336 x 236 mm
Usable height		80 mm
Volume		7 litres
Weight		0.60 kg
Article code	Base	Friction ribs
3-863	solid	continuous
3-863-1	solid	interrupted

External dimensions 600 x 400 x 85 mm

Internal dimensions top / base		556 x 356 mm / 525 x 328 mm
Usable height		80 mm
Volume		15 litres
Weight		1.05 kg
Article code	Base	Friction ribs
9-1542	solid	continuous
9-1690	solid	interrupted
9-1467	slotted	continuous
9-1830	slotted	interrupted

External dimensions 600 x 500 x 140 mm

Internal dimensions top / base		550 x 450 mm / 510 x 410 mm
Usable height		135 mm
Volume		30 litres
Weight		2.20 kg
Article code	Base	
9-1610	solid	

NESTABLE CONTAINERS

Base dimension **842 x 600 mm**



Standard colour
light grey



Standard colour
light grey

Space-saving container

Height **500 mm**

Internal dimensions top / base	740 x 500 mm / 710 x 480 mm
Stacking height	480 mm
Nesting height	245 mm
Usable internal height	465 mm
Volume	180 litres
Weight	without lid 7.00 kg / with lid 9.04 kg
Article code	Model
8-301	container
36-801	container with 2 hinged half-lids on the long sides

Space-saving container with casters

Height **610 mm**

Internal dimensions top / base	740 x 500 mm / 710 x 480 mm
Stacking height	480 mm
Nesting height	245 mm
Usable internal height	465 mm
Volume	180 litres
Weight	9.00 kg
Article code	Model
80-301-0	container without push bar, with 4 steering casters Ø 75 mm, thereof 1 with brake
80-301-100	container with push bar, with 4 steering casters Ø 75 mm, thereof 1 with brake

Accessories for space-saving container



Standard colour
dark grey



Lid

Article code	Model
8-301-1	slip lid

Dolly

Loading capacity	up to 300 kg
Article code	Model
80-172-4	metal galvanised, 4 steering casters Ø 125 mm, thereof 1 with brake

Stock items (SKU), for all other items please request the minimum order quantities.

Stack/nest system

The containers are stackable in this position



After a rotation of 180° the containers can nest within one another.

Each turn a profit

Space saving

Stack/nest containers are stackable containers that are nested when empty, thus allowing a significant reduction in volume. Containers for alternate stacking are stackable in one position due to their design.

Turning the upper container around 180 degrees means that two boxes can be nested into one another.

The transport volume is thereby reduced by up to 85 %, depending on the type of container.



STACK/NEST CONTAINERS

Base dimension **600 x 400 mm**



Height 132 mm

Internal dimensions top / base		565 x 378 mm / 535 x 355 mm
Volume		23 litres
Weight		1.30 kg
Article code	Base	Sidewalls
3-853-1	perforated	perforated

Height 150 mm

Internal dimensions top / base		565 x 378 mm / 535 x 355 mm
Volume		25 litres
Weight		1.40 kg
Article code	Base	Sidewalls
3-861-1	perforated	perforated

Height 160 mm

Internal dimensions top / base		565 x 378 mm / 535 x 355 mm
Volume		27 litres
Weight		1.60 kg
Article code	Base	Sidewalls
3-808-1	perforated	perforated



Standard colour lid
pale blue

Height 320 mm

Internal dimensions top / base		545 x 375 mm / 515 x 345 mm
Usable internal height in stack		290 mm
Stacking height		308 mm
Nesting height		80 mm
Volume		55 litres
Weight		2.30 kg
Article code	Base	Sidewalls
3-500-500	solid	solid
3-500-501	solid	solid, knobs for label pockets on one short side

Lid

Article code	Model
3-925-5	slip lid

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colour lid
pale blue



enclosed double base



Welded double base and label
pocket optional

Height **320 mm**

Internal dimensions top / base			560 x 365 mm / 550 x 350 mm
Usable internal height in stack			280 mm
Stacking height			300 mm
Nesting height			163 mm
Volume			58 litres
Weight			3.00 kg
Article code	Base	Sidewalls	
9-4063	ribbed	solid	
9-4063-V	enclosed double base	solid	

Lid

Article code	Model		
9-4065	foldable loose lid		
3-925-5	slip lid		

Height **300 mm**

Internal dimensions top / base			566 x 366 mm / 523 x 343 mm
Volume			56 litres
Weight			2.55 kg
Article code	Base	Sidewalls	
43-6430	with internal ribbing	solid	

Height **307 mm**

Internal dimensions top / base			512 x 376 mm / 482 x 352 mm
Volume			50 litres
Weight			3.10 kg
Article code	Base	Sidewalls	
9-9008	with internal ribbing	solid	

Stock items (SKU), for all other items please
request the minimum order quantities.



*We are a climate-neutral company.
Discover more under www.utzgroup.com*



utzgroup.com

Georg Utz AG • Augraben 2-4 • 5620 Bremgarten • Switzerland
Phone +41 56 648 77 11 • info.ch@utzgroup.com • www.utzgroup.com