


clever – creative – sustainable – smart



Shipping and special containers

SHIPPING AND SPECIAL CONTAINERS

Do you have e-commerce in your sights?

Online commerce is here

The ordered goods are delivered directly to the customers' home or he picks up the pre-picked purchases directly at the ramp. For this purpose, robust reusable plastic containers are necessary. They can be nested to save space for the return transport. Utz already has some solutions.



The reusable package

Shipping containers such as the POOLBOX were developed in collaboration with the Swiss Post Office and have revolutionised parcel shipment. During development, the focus was on economic and ecological aspects.

Thanks to secure snap locks, no tying or gluing is necessary.

Online commerce containers

Base dimension **600 x 400 mm**



Standard colour
pale blue

Further dimensions are
available.



Nestable container with bail arms

Height **366 mm**

Internal dimensions top / base	574 x 377 mm / 545 x 345 mm
Nesting height	111 mm
Volume	67 litres
Weight	2.75 kg
Article code	Model
45-6436-0 R	solid base, slotted sidewalls, 2 bail arms, adhesive label area for label pocket on both short sides, 4 handle slots

utz **NESCO**

Nestable container with bail arms

Height **400 mm**

Internal dimensions top / base	545 x 368 mm / 510 x 330 mm
Nesting height	106 mm
Volume	70 litres
Weight	2.45 kg
Article code	Model
37-6440-114	solid base and sidewalls, 2 bail arms, optional with 2 half-lids on the long sides

Stack/nest container

Height **355 mm**

Internal dimensions base	510 x 344 mm
Volume	64 litres
Weight	2.42 kg
Article code	Model
46-6435-2	solid base, perforated sidewalls, notches for attaching plastic bags at the top rim, 4 handle slots

Stock items (SKU), for all other items please
request the minimum order quantities.

Shipping containers



Standard colour
pale blue

utz POOLBOX

Size 10, stackable

External dimensions		198 x 148 x 120 mm		
Internal dimensions		178 x 128 x 110 mm		
Article code	Usable Internal height	Stacking height	Volume	Weight
39-1215-120-100	94 mm	122 mm	2.5 litres	0.20 kg

Size 11, stackable

External dimensions		298 x 198 x 120 mm		
Internal dimensions		287 x 162 x 103 mm		
Article code	Usable Internal height	Stacking height	Volume	Weight
39-2032-120-100	93 mm	110 mm	4.0 litres	0.60 kg

Size 14, stackable

External dimensions		298 x 198 x 170 mm		
Internal dimensions		287 x 162 x 153 mm		
Article code	Usable Internal height	Stacking height	Volume	Weight
39-2032-170-100	152 mm	162 mm	7.0 litres	0.81 kg

Size 21, stackable

External dimensions		398 x 306 x 120 mm		
Internal dimensions		335 x 295 x 103 mm		
Article code	Usable Internal height	Stacking height	Volume	Weight
39-2043-120-100	102 mm	116 mm	9.0 litres	1.00 kg

Size 21A, stackable

External dimensions		398 x 306 x 120 mm		
Internal dimensions		361 x 295 x 103 mm		
Article code	Usable Internal height	Stacking height	Volume	Weight
39-2043-120-200	102 mm	116 mm	9.5 litres	1.00 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Shipping containers

utzPOOLBOX



Size „Mini“, nestable

External dimensions		180 x 130 x 100 mm		
Internal dimensions top / base		145 x 105 mm / 128 x 92 mm		
Article code	Usable Internal height	Nesting height	Volume	Weight
39-1813-100-100	96 mm	30 mm	1.25 litres	0.21 kg



Size 23, nestable

External dimensions		398 x 306 x 227 mm		
Internal dimensions top / base		362 x 269 mm / 351 x 260 mm		
Article code	Usable Internal height	Nesting height	Volume	Weight
39-1043-230-100	210 mm	108 mm	19.0 litres	1.30 kg



Size 33, nestable

External dimensions		598 x 398 x 329 mm		
Internal dimensions top / base		496 x 356 mm / 458 x 318 mm		
Article code	Usable Internal height	Nesting height	Volume	Weight
39-1064N-329-100	311 mm	75 mm	49.0 litres	2.76 kg



Size 39, nestable

External dimensions		598 x 398 x 413 mm		
Internal dimensions top / base		496 x 356 mm / 458 x 318 mm		
Article code	Usable Internal height	Nesting height	Volume	Weight
39-1064N-413-100	400 mm	75 mm	58.0 litres	3.10 kg

Standard colour
pale blue

Stock items (SKU), for all other items please request the minimum order quantities.

Accessories for POOLBOX



Insulation inserts

Article code	To fit POOLBOX	Internal dimensions	Volume	Wall thickness
89-6-0443	Size 14	200 x 110 x 105 mm	2.7 litres	25 mm
89-6-0465	Size 23	288 x 197 x 135 mm	7.6 litres	30-50 mm
89-6-0003	Size 33	363 x 224 x 185 mm	16.5 litres	30-50 mm



Seal

Article code	To fit POOLBOX
39-5005	39-1215-120-100 39-1043-230-100 39-2032-120-100 39-2032-170-100 39-2043-120-100 39-2043-120-200



Except for the POOLBOX „Mini“, all POOLBOX containers are equipped for the use of commercially available band seals.



Label pocket with reversible carrier

Article code	Article	Model	External dimensions
89-21-21-1	label pocket, translucent	border on 3 sides	130 x 80 mm
26-2-0001.2	reversible carrier		225 x 112 mm

Stock items (SKU), for all other items please request the minimum order quantities.

Service boxes



utz POOLBOX

External dimensions **400 x 300 x 120 mm**

Usable Internal dimensions 340 x 270 mm

Weight 1.20 kg

Article code Article

36-56002 container with rubber foam insert

89-6-0051 only rubber foam insert

External dimensions **600 x 400 x 320 mm**

Usable Internal dimensions top / base 496 x 356 mm / 457 x 318 mm

Weight 2.80 kg

Article code Article

36-56003 container with internal fixing straps, without rubber foam insert

89-6-0345 only rubber foam insert

Large space-saving container

External dimensions **850 x 600 x 500 mm**

Usable Internal dimensions top / base 740 x 500 mm / 710 x 480 mm

Weight 7.00 kg

Article code Article

36-59000 container with 2 half-lids on the long sides, includes fixing straps, without rubber foam insert



Insulating boxes

Temperature-controlled logistics


Utz Insulating boxes are robust, reliable and quality-assured transport solutions for temperature-sensitive products requiring an uninterrupted cold chain. The durable and user-friendly reusable transport solutions are suitable for all pharmaceutical and food applications.



utz THERMOBOX

This is what distinguishes the reusable Utz THERMOBOX

- The cooling element is part of the lid, which simplifies handling.
- Highly efficient insulation material in the form of VIPs (Vacuum Insulation Panels).
- Robust, conveyor-suitable exterior container offers protection against shocks, moisture and dirt.
- Easy-to-clean interior container with VIP protection against damage.
- Exterior and interior containers are welded together.
- Depending on the cooling element, suitable for temperature ranges of -18 °C, 2-8 °C or 15-25 °C.
- Duration/transit time of the THERMOBOX is at least 48 h.
- Excellent ratio between external and internal volume.
- Possibility to attach information for identification and traceability (barcodes, RFID chips, loggers, company logo, etc.).
- Compatible for stacking with RAKO containers from Utz.



Insulating boxes

Base dimension **400 x 300 mm**



Temperature range 2 °C - 8 °C and 15 °C - 25 °C

External dimensions		404 x 304 x 238.5 mm	
Usable internal dimensions		295 x 195 x 101 mm	
Stacking height with / without lid		237 mm / 222 mm	
Usable internal volume		5.8 litres	
Weight		5.98 kg	
Article code	Insulation	Temperature range	Handles
36-415-1	30 mm	2 °C - 8 °C	2 shell handles
36-415-2	30 mm	15 °C - 25 °C	2 shell handles

Base dimension **600 x 400 mm**



Temperature range 2 °C - 8 °C and 15 °C - 25 °C

External dimensions		606 x 404 x 297 mm	
Usable internal dimensions		493 x 294 x 174 mm	
Stacking height with / without lid		285 mm / 282 mm	
Usable internal volume		25.3 litres	
Weight		12.55 kg	
Article code	Insulation	Temperature range	Handles
36-414-1	30 mm	2 °C - 8 °C	2 shell handles
36-414-2	30 mm	15 °C - 25 °C	2 shell handles

Insulating boxes

Base dimension **600 x 400 mm**



Standard colour
light blue



Container with internal
insulation



Standard colour
cobalt blue

Lid with holder for
cooling element



utz COOLBOX

Height **298 mm**

Usable internal dimensions	513 x 313 x 230 mm
Volume	32 litres
Weight	5.90 kg

Article code	Model
36-413	removable lid

Height **345 mm**

Usable internal dimensions	510 x 310 x 264 mm
Volume	42 litres
Weight	7.70 kg

Article code	Model
36-412	removable lid

Lid for COOLBOX (suitable for both heights)

Article code	Model
53-6040-3-0-V	Snap-on lid with script insert „utz COOLBOX“

utz FREEZINGBOX

Height **365 mm**

Usable internal dimensions	510 x 310 x 300 mm
Volume	43 litres
Weight	8.00 kg

Article code	Model
36-407	removable lid
36-409	hinged lid

Cooling element

To fit **FREEZINGBOX**

External dimensions	480 x 280 x 28 mm		
Weight	3.22 kg (80-1138)		
Article code	Temperature range	Freezing point	Colour of cap
80-1138	-25° C up to -15° C	-21° C	yellow

Stock items (SKU), for all other items please request the minimum order quantities.

Insulating boxes

Base dimension **400 x 300 mm**



utz
RAKO

Height **240 mm**

Usable internal dimensions	308 x 207 x 157 mm
Volume	10 litres
Weight	2.60 kg
Article code	Model
36-854	hinged lid

Base dimension **600 x 400 mm**



Height **288 mm**

Usable internal dimensions	480 x 280 x 185 mm
Volume	25 litres
Weight	4.75 kg
Article code	Model
36-6426-F13	hinged lid



Height **435 mm**

Usable internal dimensions	470 x 270 x 325 mm
Volume	41 litres
Weight	6.10 kg
Article code	Model
36-209-F13	hinged lid

Insulating boxes

Base dimension **300 x 200 mm**



Standard colour container
pale blue

Base dimension **400 x 300 mm**



Standard colour container
pale blue

Base dimension **600 x 400 mm**



Standard colour container
pale blue

utz POOLBOX

Height **170 mm**

Usable internal dimensions	200 x 110 x 105 mm
Volume	2.7 litres
Weight	0.99 kg
Article code	Model
39-2032-170-500	set consisting of container with insulation insert (isolation 25 mm)
89-6-0443	insulation insert only (isolation 25 mm)


Height **227 mm**

Usable internal dimensions	288 x 197 x 135 mm
Volume	7.5 litres
Weight	1.80 kg
Article code	Model
39-1043-230-500	set consisting of container with insulation insert (isolation 30-50 mm), container nestable without insulating insert
89-6-0465	insulation insert only (isolation 30-50 mm)

Height **329 mm**

Usable internal dimensions	363 x 224 x 185 mm
Volume	15.5 litres
Weight	3.50 kg
Article code	Model
39-1064N-329-500	set consisting of container with insulation insert (isolation 30-50 mm), container nestable without insulating insert
89-6-0003	insulation insert only (isolation 30-50 mm)


Picking bins



utz SILAFIX


Size 6

External dimensions container	90/70 x 102 x 54 mm
Packaging unit container	54 pieces
Article code	Article
3-367	SILAFIX container
20-0180	picking tray (175 x 117 x 23 mm)



Size 5

External dimensions container	170/145 x 102 x 77 mm
Packaging unit container	50 pieces
Article code	Article
3-366N-0	SILAFIX container
3-374	lid, transparent
20-0141	picking tray (325 x 112 x 50 mm)



Size 4

External dimensions container	230/200 x 147 x 132 mm
Packaging unit container	25 pieces
Article code	Article
3-365N-0	SILAFIX container
3-373	lid, transparent
20-381	dust flap, transparent
20-0140	picking tray (390 x 160 x 95 mm)







Standard colours

scarlet	light gentian blue
yellow	light grey
medium green	

Stock items (SKU), for all other items please request the minimum order quantities.

Picking bins



Standard colours

	scarlet		light gentian blue
	yellow		light grey
	medium green		

utz SILAFIX

Size 3Z

External dimensions container	350/300 x 210 x 145 mm
Packaging unit container	15 pieces
Article code	Article
3-364	SILAFIX container
3-372	lid, transparent
20-0201	removable box

Size 3

External dimensions container	350/300 x 210 x 200 mm
Packaging unit container	12 pieces
Article code	Article
3-363	SILAFIX container
3-371	lid, transparent
3-379	dust flap, transparent
20-0201	removable box

Size 2H

External dimensions container	500/450 x 310 x 145 mm
Packaging unit container	14 pieces
Article code	Article
3-361	SILAFIX container
20-0200	lid, transparent

Size 2

External dimensions container	500/450 x 310 x 200 mm
Packaging unit container	10 pieces
Article code	Article
3-360	SILAFIX container
3-368	lid, transparent
3-376	dust flap, transparent
20-0200	removable box

Stock items (SKU), for all other items please request the minimum order quantities.

Picking bins



Standard colours

	translucent natural
	light gentian blue
	scarlet



Save space

These SILAFIX can be nested into each other when empty to save space.

utz SILAFIX

Size 55S (nestable)

External dimensions container	170 x 102 x 78 mm
Packaging unit container	24 pieces

Article code	Article
3-386	SILAFIX container

Size 44S (nestable)

External dimensions container	230 x 147 x 132 mm
Packaging unit container	12 pieces


Article code	Article
3-385	SILAFIX container

Size 33ZS (nestable)

External dimensions container	350 x 210 x 145 mm
Packaging unit container	12 pieces

Article code	Article
3-384	SILAFIX container

Accessories for SILAFIX



Wall rack

Article code	Article	Guide length
80-166-12	wall rack for attaching SILAFIX bins to a wall, using clip-in guides	1000 mm
80-166-20	clip-in guide for wall rack for SILAFIX: 5x SILAFIX size 3 / 3Z or 7x SILAFIX size 4 or 10x SILAFIX size 5 / 6	1145 mm

Clip in guide

Article code	Article	Guide length
80-986	wall-mounted clip-in guide for fitting to the wall	450 mm

Stock items (SKU), for all other items please request the minimum order quantities.

UN-approved containers Utz

Getting there safely

The hazardous goods containers from Utz comply with the UN's recommendations for outer packaging of hazardous goods of packing groups I, II and III, as well as the requirements according to the Hazardous Goods Regulations for Road, Rail and Inland Navigation (GGVSEB), the Hazardous Goods Regulations at Sea (GGVSee), the Regulations Concerning the International Carriage of Hazardous Goods by Rail (RID), the European Agreement concerning the International Carriage of Hazardous Goods by Road (ADR) and the International Maritime Dangerous Goods (IMDG Code).

All containers are made of proven, impact-resistant plastic. RAKO containers are padded with a foam insert glued to the inside of the lid. Tension safety fasteners and tear-resistant textile fibre straps ensure practical handling and provide all-round protection. All containers can be stacked easily and safely. In other words, the best prerequisites for transportation.



4H2/X30/S/20
CH/0734207187 - UTZ

Approval marking and coding

UN	Symbol denoting packing
4H2	Packing code number
X	Packing group I (includes groups II and III)
30	Maximum gross weight (depends on container size)
S	Packing for solid goods
20	Production year
CH	Abbreviation of country granting approval
734207187	Registration number
UTZ	Manufacturer's abbreviation



UN-approved EUROTEC containers can be equipped with the same options as RAKO containers.



UN-approved RAKO container in customised colour, with reinforced hinged lid and retaining straps for the lid as optional equipment.



Base dimension **400 x 300 mm**



utz
RAKO

Height 235 mm

Internal dimensions		358 x 258 x 177 mm	
Maximum gross weight		Packaging group I-III: 16 kg	
Article code	Lid version	Volume	Weight
36-204-GGVS. 7000.5100	loose lid	16.0 litres	1.79 kg

Height 287 mm

Internal dimensions		353 x 253 x 228 mm	
Maximum gross weight		Packaging group I-III: 16 kg	
Article code	Lid version	Volume	Weight
36-212-GGVS. 7000.5100	loose lid	20.0 litres	1.93 kg

Height 338 mm

Internal dimensions		358 x 258 x 280 mm	
Maximum gross weight		Packaging group I-III: 16 kg	
Article code	Lid version	Volume	Weight
36-205-GGVS. 7000.5100	loose lid	26.0 litres	2.05 kg

Base dimension **600 x 400 mm**



Height 235 mm

Internal dimensions		557 x 357 x 175 mm	
Maximum gross weight		Packaging group I-III: 30 kg	
Article code	Lid version	Volume	Weight
36-201-GGVS. 7000.5100	loose lid	35.0 litres	3.10 kg

Height 293 mm

Internal dimensions		558 x 357 x 262 mm	
Maximum gross weight		Packaging group I-III: 30 kg	
Article code	Lid version	Volume	Weight
36-6426-GGVS. 7000.5100	loose lid	47.0 litres	3.56 kg

Height 338 mm

Internal dimensions		558 x 358 x 280 mm	
Maximum gross weight		Packaging group I-III: 30 kg	
Article code	Lid version	Volume	Weight
36-202-GGVS. 7000.5100	loose lid	55.0 litres	3.64 kg

Height 441 mm

Internal dimensions		555 x 355 x 382 mm	
Maximum gross weight		Packaging group I-III: 30 kg	
Article code	Lid version	Volume	Weight
36-209-GGVS. 7000.5100	loose lid	75.0 litres	4.43 kg

Equipment of all RAKO containers

Registration number: on one short side

Strapping: 2 polyester straps with 2 closing hooks and 2 tension locks included

Insert: rubber foam inserts for lid included

Also available in the following versions:

with hinged lid

- with hinged lid reinforced with aluminium frame
- with hinged lid reinforced with aluminium frame and cylinder lock
- with snap-on lids with clamping effect
- with additional foam inserts
- with carrying straps

SHIPPING AND SPECIAL CONTAINERS

Base dimension **298 x 198 mm**



Equipment of the POOLBOX container

Registration number: on one long side

Strapping: 2 straps across the width, not included

utz **POOLBOX**

Height **120 mm**

Internal dimensions		287 x 162 x 103 mm
Maximum gross weight		Packaging group I-III: 5 kg
Article code	Volume	Weight
39-2032-GGVS	4.0 litres	0.60 kg

Base dimension **398 x 306 mm**



Equipment of the POOLBOX containers

Registration number: on one long side

Strapping: 2 straps across the width, not included

Height **120 mm**

Internal dimensions		335 x 295 x 103 mm
Maximum gross weight		Packaging group I-III: 8.5 kg
Article code	Volume	Weight
39-2043-1-GGVS	9.0 litres	1.00 kg

Height **120 mm**

Internal dimensions		361 x 295 x 103 mm
Maximum gross weight		Packaging group I-III: 8.5 kg
Article code	Volume	Weight
39-2043-2-GGVS	9.5 litres	1.00 kg

Base dimension **598 x 398 mm**



Equipment of the POOLBOX container

Registration number: on one short side

Strapping: 2 straps across the length and width, not included

Insert: rubber foam insert for the lid, included

Height **320 mm**

Internal dimensions		top: 496 x 356 x 311 mm base: 458 x 318 x 311 mm
Maximum gross weight		Packaging group I-III: 30.0 kg
Article code	Volume	Weight
39-1064N-GGVS	49.5 litres	2.80 kg

utz PALOXE



With its stable construction and chemical resistance of the plastic used, the PALOXE pallet box is ideally suited for collecting bulky large batteries or pasty waste materials and for transport to collection points.

Base dimension **1200 x 800 mm**



Equipment of the PALOXE

Registration number: on one long side

Strapping: 2 polyester straps across the width, included

Height **780 mm**

Internal dimensions	1100 x 710 x 600 mm
Volume	470.0 litres
Weight	32.00 kg
Maximum gross weight	Packaging group II-III: 134 kg
Stack weight capacity*	3000 kg
Article code	Version
58-1089-CT6.3003	2 longitudinal runners, one longitudinal side with removable wall panel, slip lid

* We recommend to test the pallet box before use.

Base dimension **1200 x 1000 mm**



Equipment of the PALOXE

Registration number: on one long side

Strapping: 3 polyester straps with locking catches and ratchet across the width, included

Height **835 mm**


Internal dimensions	1120 x 920 x 600 mm
Volume	600.0 litres
Weight	55.30 kg
Maximum gross weight	Packaging group II-III: 456 kg
Stack weight capacity*	4000 kg
Article code	Version
36-622-200-GGVS	2 longitudinal runners, hinged lid with pneumatic spring

* We recommend to test the pallet box before use.

SHIPPING AND SPECIAL CONTAINERS

Flower container

Base dimension **1200 x 400 mm**



Height **350 mm**

Internal dimensions top / base	1157 x 349 mm / 1085 x 300 mm
Stacking height	328 mm
Nesting height	65 mm
Usable Internal height	327 mm
Volume	120 litres
Weight	4.20 kg
Article code	Article
9-2191-100	solid base, slotted long sides, with 2 bail arms and 1 label pocket

PLANTO

Base dimension **600 x 400 mm**



Height **85 mm**

Internal dimensions top / base	556 x 356 mm / 525 x 325 mm
Usable Internal height	80 mm
Volume	15 litres
Weight	1.50 kg
Article code	Article
9-1467	slotted base, with continuous friction ribs
9-1542	solid base, with continuous friction ribs

Wastebaskets



Height **380 mm**

External diameter top	365 mm
Weight	1.13 kg
Article code	Article
7-177	
7-177-V0	made of V10 material (aluminium grey), flame-retardant

Standard colours

	aluminium grey
	winered

Stock items (SKU), for all other items please request the minimum order quantities.

Cylindrical containers



Standard colour
black

Height 460 mm

External diameter top	Ø 440 mm
Volume	50 litres
Weight	1.81 kg
Article code	Article
7-046N-1 R	container
7-046N-2 R	lid

Height 530 mm

External diameter top	Ø 490 mm
Volume	75 litres
Weight	3.03 kg
Article code	Article
7-047-1 R	container
7-047-2 R	lid

Stock items (SKU), for all other items please
request the minimum order quantities.

Postal containers



Letter container

The special container developed for Swiss Post with barcode labels and various colour codes can be divided inside by separations; with double bottom welded inside.

- External dimensions: 500 x 290 x 220 mm

Letter container

Special container developed for the postal organizations in Poland and the Czech Republic in different heights

- External dimensions: 470 x 270 x 209 mm
480 x 270 x 195 mm
480 x 270 x 294 mm



Letter container

Utz produces containers for the German Post in various sizes, some with internal separation options.

- External dimensions: 470 x 267 x 150 mm
470 x 267 x 280 mm
534 x 470 x 280 mm



Conveyor aid

A special container developed for a DHL goods distribution centre with barcode labels applied to both the inner and outer walls.

- External dimensions: 800 x 600 x 220 mm



Conveyor aid

Within the postal dispatch centres, letters must be forwarded on automatic conveyors according to their assignment to postal code districts. These trays suitable for conveyor systems are used for this purpose.

- External dimensions: 457 x 350 x 50 mm



KLAPA

KLAPA pallet containers are suitable for transporting large quantities of advertising mail. For empty storage and return transport, they can be collapsed to save space.

KLAPA pallet containers in different sizes can be found in the chapter „Pallet boxes“.



*We are a climate-neutral company.
Discover more under www.utzgroup.com*



utzgroup.com

Georg Utz AG • Augraben 2-4 • 5620 Bremgarten • Switzerland
Phone +41 56 648 77 11 • info.ch@utzgroup.com • www.utzgroup.com