


clever – creative – sustainable – smart



utz KLT

utzgroup.com



Small load carriers

Containers for the automotive industry

Automobile manufacturers and their suppliers use a variety of carriers that the VDA (German Association of the Automotive Industry) has standardised with the specifications of the 4500 standard. These include the R, the RL and the foldable KLT.

In addition, there is the C-KLT, the Light-KLT or the medium container that do not conform to any standard.



The variants

Light-KLT with smooth base and optional water drainage

- Single-walled plastic container
- Particularly stable due to additional struts
- Suitable for automatic handling due to numerous jacking points
- Ergonomic handles for manual handling
- Smooth base
- Water drainage holes in the base allow the escape of extinguishing water in case of fire

Foldable KLT

- Foldable box according to VDA standard 4500 with a basic dimension of 600 x 400 mm
- The foldable KLT comes both with a complete composite base and also with a smooth base
- During empty running, the folded KLT allows space savings of 2/3 of its original volume



R-KLT with reduced composite base

- Single-walled plastic container according to VDA standard 4500
- Particularly stable due to additional struts
- Suitable for automatic handling due to numerous jacking points
- Ergonomic handles for manual handling
- The composite base reduced on the outer edge allows unrestricted composite stacking
- R-KLT with a basic measurement of 300 x 200 mm are equipped with a smooth base

RL-KLT with smooth base

- Single-walled plastic container according to VDA standard 4500
- Particularly stable due to additional struts
- Suitable for automatic handling due to numerous jacking points
- Ergonomic handles for manual handling
- Differs from R-KLT because of the smooth base

C-KLT with complete composite base

- Double-walled plastic container according to VDA standard 4500
- Particularly stable due to additional struts
- Suitable for automatic handling due to numerous jacking points
- Ergonomic handles for manual handling
- The fully configured composite base reduced on the outer edge allows unrestricted composite stacking
- C-KLT with a basic measurement of 300 x 200 mm are equipped with a smooth base

R-KLT according to VDA 4500



Standard colour lid 3-215Z-0
dark grey



Standard colour lid 3-214Z-0
dark grey



Standard colour lid 3-213Z-0
dark grey

Base dimension 300 x 200 mm

Internal dimensions base		243 x 162 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-3215	147 mm	129 mm	5.0 litres	0.60 kg

Lid

Article code	Model	Weight
40-39	loose lid	0.10 kg
3-215Z-0*	loose lid	0.17 kg

Base dimension 400 x 300 mm

Internal dimensions base		346 x 265 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-4315	147 mm	109 mm	10.0 litres	1.30 kg
40-4318*	174 mm	136 mm	12.5 litres	1.40 kg
40-4322*	213 mm	175 mm	17.4 litres	1.61 kg
40-4329	280 mm	242 mm	22.2 litres	1.90 kg

Lid

Article code	Model	Weight
40-49	loose lid	0.25 kg
3-214Z-0*	loose lid	0.33 kg

Base dimension 600 x 400 mm

Internal dimensions base		544 x 364 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-6415	147 mm	109 mm	21.6 litres	2.20 kg
40-6418*	174 mm	136 mm	26.9 litres	2.30 kg
40-6422*	213 mm	191 mm	35.0 litres	2.50 kg
40-6429	280 mm	242 mm	47.9 litres	3.00 kg

Lid

Article code	Model	Weight
40-69	loose lid	0.52 kg
3-213Z-0*	loose lid	0.66 kg

* does not confirm with VDA 4500

Stock items (SKU), for all other items please request the minimum order quantities.

RL-KLT according to VDA 4500



Standard colour lid 3-215Z-0
dark grey



Standard colour lid 3-214Z-0
dark grey



Standard colour lid 3-213Z-0
dark grey

Base dimension 300 x 200 mm

Internal dimensions base		243 x 162 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-3147	147 mm	129 mm	5.0 litres	0.60 kg

Lid

Article code	Model	Weight
40-35	loose lid	0.09 kg
3-215Z-0*	loose lid	0.17 kg

Base dimension 400 x 300 mm

Internal dimensions base		345 x 260 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-4147	147 mm	129 mm	11.5 litres	1.10 kg
40-4174*	174 mm	156 mm	14.0 litres	1.20 kg
40-4213*	213 mm	191 mm	18.0 litres	1.40 kg
40-4280	280 mm	262 mm	23.5 litres	1.70 kg

Lid

Article code	Model	Weight
40-45	loose lid	0.27 kg
3-214Z-0*	loose lid	0.33 kg

Base dimension 600 x 400 mm

Internal dimensions base		544 x 359 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-6147	147 mm	129 mm	25.2 litres	1.80 kg
40-6174*	174 mm	156 mm	30.5 litres	1.80 kg
40-6213*	213 mm	196 mm	38.3 litres	2.10 kg
40-6280	280 mm	262 mm	51.0 litres	2.70 kg

Lid

Article code	Model	Weight
40-65	loose lid	0.60 kg
3-213Z-0*	loose lid	0.66 kg

* does not confirm with VDA 4500

RL-KLT does not confirm with VDA 4500



Base dimension 800 x 600 mm

Internal dimensions base		743 x 555 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-8608	80 mm	62 mm	25.6 litres	1.50 kg
40-8612	120 mm	102 mm	42.1 litres	3.10 kg
40-8617	174 mm	159 mm	65.6 litres	3.40 kg
40-8622	220 mm	209 mm	86.2 litres	4.10 kg
40-8628	280 mm	261 mm	107.6 litres	4.80 kg

Lid

Article code	Model	Weight
40-86-0	loose lid	1.61 kg
40-86-1	hinged lid	1.61 kg
40-86-2	hook-in lid	1.80 kg

C-KLT according to VDA 4500



Base dimension 300 x 200 mm (actual 297 x 198 mm)

Internal dimensions base		260 x 136 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-3214	147 mm	127 mm	4.5 litres	0.70 kg
40-3217	174 mm	154 mm	5.5 litres	0.80 kg

Lid

Article code	Model	Weight
40-32	lid D-32	0.09 kg




Base dimension 400 x 300 mm (actual 396 x 297 mm)

Internal dimensions base		334 x 247 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-4314	147 mm	103 mm	8.5 litres	1.60 kg
40-4317	174 mm	130 mm	10.7 litres	1.90 kg
40-4321	213 mm	170 mm	14.0 litres	2.00 kg
40-4328	280 mm	236 mm	19.5 litres	2.60 kg

Lid

Article code	Model	Weight
40-43	lid D-43	0.20 kg
40-43-1*	loose lid	0.12 kg

C-KLT according to VDA 4500



Base dimension **600 x 400 mm** (actual 594 x 396 mm)

Internal dimensions base		532 x 346 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-6414	147 mm	98 mm	18.0 litres	2.80 kg
40-6417	174 mm	125 mm	23.0 litres	3.00 kg
40-6428	280 mm	231 mm	43.0 litres	4.40 kg

Lid

Article code	Model	Weight
40-64	lid D-64	0.52 kg
40-64-1*	loose lid	0.22 kg

Light-KLT does not conform with VDA 4500



Standard colour lid 3-215Z-0
dark grey

Base dimension **300 x 200 mm**

Internal dimensions base		245 x 163 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-3147 L	147 mm	129 mm	5.0 litres	0.60 kg

Lid

Article code	Model	Weight
40-35	loose lid	0.09 kg
3-215Z-0*	loose lid	0.17 kg



Standard colour lid 3-214Z-0
dark grey

Base dimension **400 x 300 mm**

Internal dimensions base		344 x 261 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-4147 L	147 mm	129 mm	11.5 litres	1.00 kg
40-4280 L	280 mm	262 mm	23.5 litres	1.40 kg

Lid

Article code	Model	Weight
40-45	loose lid	0.27 kg
3-214Z-0*	loose lid	0.33 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Light-KLT does not conform with VDA 4500



Standard colour lid 3-213Z-0
dark grey

Base dimension 600 x 400 mm

Internal dimensions base		544 x 361 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-6447 L	147 mm	129 mm	25.3 litres	1.80 kg
40-6480 L	280 mm	262 mm	51.4 litres	2.50 kg

Lid

Article code	Model	Weight
40-65	loose lid	0.60 kg
3-213Z-0*	loose lid	0.66 kg

Foldable-KLT according to VDA 4500



Base dimension 600 x 400 mm (actual 594 x 396 mm)

Internal dimensions base		535 x 357 mm		
Folded height		95 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
40-6410	280 mm	242 mm	46.0 litres	3.40 kg

KLT with sliding wall does not conform with VDA 4500



Base dimension 300 x 200 mm

Internal dimensions base		245 x 163 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
101-3147	147 mm	129 mm	5.0 litres	0.60 kg

Lid

Article code	Model	Weight
40-35	loose lid	0.09 kg



Base dimension 400 x 300 mm

Internal dimensions base		344 x 261 mm		
Article code	External height	Usable internal height in stack	Volume	Weight
101-4147	147 mm	129 mm	11.5 litres	1.00 kg

Lid

Article code	Model	Weight
40-45	loose lid	0.27 kg

Stock items (SKU), for all other items please request the minimum order quantities.

KLT covers




53-1208A-1 R

40-1208-1

40-1208

Standard colour
53-1208A-1 R: dark grey
40-1208: pale blue



40-1210-5

40-1210-V

40-1210-M

40-1210-O

Standard colour
light grey

Accessories



Base dimension 800 x 600 mm

Article code	Model
200-8161	cover, thermoformed

Base dimension 1200 x 800 mm

Article code	Model
53-1208A-1 R	cover
53-1208A-1	cover
40-1208	cover
40-1208-1	cover, according to VDA 4500

Base dimension 1200 x 1000 mm

Article code	Model
40-1210-5	cover
40-1210-V	cover
40-1210-M	cover
40-1210-O	cover

Securing plate according to VDA 4500

Article code	External dimensions
40-1208-10	1200 x 800 mm
40-1210-10	1200 x 1000 mm

Intermediate plate according to VDA 4500

Article code	External dimensions
40-43 Z	400 x 300 mm
40-64 Z	600 x 400 mm

Stock items (SKU), for all other items please request the minimum order quantities.

Special KLT

Container for products requiring special protection

In order to transport easily destructible items in a SLC, thermoformed component holders are inserted into the container which fit the mounting parts perfectly. This type of SLC with component holder is referred to as a special small load carrier and is characterised by being an alternative colour to the VDA specifications.

Special R-KLT




Special L-KLT



Special C-KLT





Medium container „M“




Base dimension 600 x 500 mm

Internal dimensions base		560 x 444 mm	
Article code	External height	Internal height	Weight
40-6050-094-0	94 mm	70 mm	2.30 kg
40-6050-114-0	114 mm	90 mm	2.90 kg
40-6050-128-0	128 mm	104 mm	2.60 kg
40-6050-147-0	147 mm	123 mm	2.80 kg
40-6050-174-0	174 mm	150 mm	3.20 kg
40-6050-213-0	213 mm	189 mm	3.50 kg
40-6050-280-0	280 mm	256 mm	4.20 kg
40-6050-315-0	315 mm	291 mm	4.40 kg
40-6050-335-0	335 mm	311 mm	4.60 kg
40-6050-415-0	415 mm	391 mm	5.60 kg



Base dimension 1000 x 600 mm

Internal dimensions base		560 x 444 mm	
Article code	External height	Internal height	Weight
40-1060-094-0	94 mm	70 mm	4.20 kg
40-1060-114-0	114 mm	90 mm	4.40 kg
40-1060-128-0	128 mm	104 mm	4.80 kg
40-1060-147-0	147 mm	123 mm	5.10 kg
40-1060-174-0	174 mm	150 mm	5.40 kg
40-1060-213-0	213 mm	189 mm	5.80 kg
40-1060-280-0	280 mm	256 mm	6.80 kg
40-1060-315-0	315 mm	291 mm	7.30 kg
40-1060-335-0	335 mm	311 mm	7.50 kg
40-1060-415-0	415 mm	391 mm	8.70 kg



MEDIUM PLUS



Base dimension 600 x 500 mm

External height		114 mm	
Article code	Internal dimensions	Base	Weight
101-6050-114-0	540 x 432 x 111 mm	solid	2.00 kg
101-6050-114-V	540 x 440 x 96 mm	enclosed double base	2.70 kg

External height		174 mm	
Article code	Internal dimensions	Base	Weight
101-6050-174-0	540 x 432 x 170 mm	solid	2.50 kg
101-6050-174-V	540 x 440 x 155 mm	enclosed double base	3.40 kg

External height		213 mm	
Article code	Internal dimensions	Base	Weight
101-6050-213-0	540 x 432 x 210 mm	solid	2.80 kg
101-6050-213-V	540 x 440 x 195 mm	enclosed double base	3.60 kg

MEDIUM PLUS



Base dimension 1000 x 600 mm

External height		114 mm	
Article code	Internal dimensions	Base	Weight
101-1060-114-0	927 x 540 x 111 mm	solid	3.20 kg
101-1060-114-V	935 x 540 x 96 mm	enclosed double base	5.00 kg

External height		147 mm	
Article code	Internal dimensions	Base	Weight
101-1060-147-0	927 x 540 x 144 mm	solid	3.70 kg
101-1060-147-V	935 x 540 x 129 mm	enclosed double base	5.30 kg

External height		213 mm	
Article code	Internal dimensions	Base	Weight
101-1060-213-0	927 x 540 x 210 mm	solid	4.40 kg
101-1060-213-V	935 x 540 x 195 mm	enclosed double base	6.20 kg

External height		280 mm	
Article code	Internal dimensions	Base	Weight
101-1060-280-0	927 x 540 x 275 mm	solid	5.10 kg
101-1060-280-V	935 x 540 x 260 mm	enclosed double base	6.90 kg

Lid for MEDIUM PLUS



Base dimension 600 x 500 mm

Article code	Model
200-6050-4	slip lid with gripping action, thermoformed

Base dimension 1000 x 600 mm

Article code	Model
210-20082	dust cover, thermoformed

GALIA



Base dimension 300 x 200 mm

External dimensions		297 x 197 x 114 mm	
Internal dimensions base		263 x 163 x 94 mm	
Usable internal height in stack		90 mm	
Volume		4.0 litres	
Weight		0.60 kg	
Article code	Model	Base	Script insert
41-3212-0	container	solid	without
41-3212-1	container	solid	ODETTE
41-32	lid		

Base dimension 400 x 300 mm

External dimensions		396 x 297 x 114 mm	
Internal dimensions base		362 x 263 x 94 mm	
Usable internal height in stack		90 mm	
Volume		9.0 litres	
Weight		0.90 kg	
Article code	Model	Base	Script insert
41-4312-0	container	solid	without
41-4312-1	container	solid	ODETTE
41-43	lid		

Base dimension 400 x 300 mm

External dimensions		396 x 297 x 214 mm	
Internal dimensions base		362 x 263 x 194 mm	
Usable internal height in stack		190 mm	
Volume		18.0 litres	
Weight		1.40 kg	
Article code	Model	Base	Script insert
41-4322-0	container	solid	without
41-4322-1	container	solid	ODETTE
41-43	lid		

Base dimension 600 x 400 mm

External dimensions		594 x 396 x 214 mm	
Internal dimensions base		560 x 363 x 194 mm	
Usable internal height in stack		190 mm	
Volume		39.0 litres	
Weight		2.40 kg	
Article code	Model	Base	Script insert
41-6422-0	container	solid	without
41-6422-1	container	solid	ODETTE
41-64	lid		

GALIA



Base dimension 600 x 400 mm

External dimensions		594 x 396 x 314 mm	
Internal dimensions base		560 x 362 x 294 mm	
Usable internal height in stack		290 mm	
Volume		60.0 litres	
Weight		3.00 kg	
Article code	Model	Base	Script insert
41-6432-0	container	solid	without
41-6432-1	container	solid	ODETTE
41-64	lid		

Accessories



Removable box to fit container 41-4312

Article code	External dimensions	Size
9-7040	250 x 115 x 88 mm	 1/3



Label holder and label pockets

Article code	Model	Material
41-3201	label holder small to clip in	metal
41-6401	label holder large to clip in	metal
34-6400-995-3	label frame 212 x 70 mm to weld on	plastic
89-20-133-2	label pocket 245 x 48 mm to weld on	plastic
89-20-125	label pocket 210 x 60 mm to weld on	plastic





*We are a climate-neutral company.
Discover more under www.utzgroup.com*

